

3

# Covers

Covers for drill holes, bolts and screws, nuts, and other applications



**LK**  
Page: 2



**LKF**  
Page: 3



**AST**  
Page: 5

**B**  
Page: 6



**BST**  
Page: 12




**EST**  
Page: 13



**MAS**  
Page: 14



**UAK**  
Page: 15



**BI**  
Page: 16



**BK**  
Page: 18



**BKP**  
Page: 20



**BS 1**  
Page: 22



**BS 2**  
Page: 23



**BT**  
Page: 24



**BZK**  
Page: 25



**SKEC**  
Page: 26

## Collars

Application: collars  
Material: polyethylene  
Standard-Colour: black



Order No.	Article	Outside dimension	Height	Cut-out	Colour	PU*	MOQ**
097000020001/12	LK 2	Ø 50	9,0	Ø 12	black	1000	1000
097000020001/16	LK 2	Ø 50	9,0	Ø 16	black	1000	1000
097000020001/20	LK 2	Ø 50	9,0	Ø 20	black	1000	1000
097000020001/22	LK 2	Ø 50	9,0	Ø 22	black	500	500
097000040001/12	LK 4	Ø 45	10,0	Ø 12	black	500	500
097000040001/15	LK 4	Ø 45	10,0	Ø 15	black	500	500
097000040001/16	LK 4	Ø 45	10,0	Ø 16	black	500	500
097000040001/17	LK 4	Ø 45	10,0	Ø 17	black	500	500
097000040001/18	LK 4	Ø 45	10,0	Ø 18	black	500	500
097000090001/30	LK 9	80 x 80	18,0	30 x 30	black	500	1000
097000090001/40	LK 9	80 x 80	18,0	40 x 40	black	500	1000
097000090001/45	LK 9	80 x 80	18,0	45 x 45	black	250	1000
097000090001/50	LK 9	80 x 80	18,0	50 x 50	black	250	1000
097000180001/34	LK 18	Ø 90	11,0	Ø 34	black	500	1000
097000180001/40	LK 18	Ø 90	11,0	Ø 40	black	1000	1000
097000180001/42	LK 18	Ø 90	11,0	Ø 42	black	1000	1000
097000180001/43	LK 18	Ø 90	11,0	Ø 43	black	1000	1000
097000180001/48	LK 18	Ø 90	11,0	Ø 48	black	1000	1000
097000180001/50	LK 18	Ø 90	11,0	Ø 50	black	1000	1000
097000180001/60	LK 18	Ø 90	11,0	Ø 60	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.


We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover collars

**LKF**

Application: collars  
Material: polyethylene  
Standard-Colour: black, white



Order No.	Outside Ø	Inside Ø	Inside Ø	Height	Colour	PU*	MOQ**
	D	d	d in inch	H			
097200080001000	37,8	8,5	-	6,0	black	50	800
097200080003000	37,8	8,5	-	6,0	white	50	800
097200100001000	38,7	10,5	1/8	6,0	black	50	800
097200100003000	38,7	10,5	1/8	6,0	white	50	800
097200120001000	41,0	12,5	-	6,0	black	50	800
097200120003000	41,0	12,5	-	6,0	white	50	800
097200140001000	42,5	14,5	1/4	7,0	black	50	700
097200140003000	42,5	14,5	1/4	7,0	white	50	700
097200150001000	45,0	15,5	-	6,0	black	50	700
097200150003000	45,0	15,5	-	6,0	white	50	700
097200160001000	50,0	16,5	-	7,0	black	50	700
097200160003000	50,0	16,5	-	7,0	white	50	700
097200170001000	50,0	17,5	3/8	7,0	black	50	700
097200170003000	50,0	17,5	3/8	7,0	white	50	700
097200180001000	50,0	18,5	-	7,0	black	50	700
097200180003000	50,0	18,5	-	7,0	white	50	700
097200200001000	54,0	20,5	-	7,0	black	50	700
097200200003000	54,0	20,5	-	7,0	white	50	700
097200210001000	55,0	21,5	1/2	7,0	black	50	700
097200210003000	55,0	21,5	1/2	7,0	white	50	700
097200220001000	56,0	22,5	-	7,0	black	50	700
097200220003000	56,0	22,5	-	7,0	white	50	700
097200240001000	61,0	24,5	-	7,0	black	50	700
097200240003000	61,0	24,5	-	7,0	white	50	700
097200250001000	61,0	25,5	-	7,0	black	50	700
097200250003000	61,0	25,5	-	7,0	white	50	700
097200270001000	63,0	27,5	3/4	7,0	black	50	700
097200270003000	63,0	27,5	3/4	7,0	white	50	700
097200280001000	62,0	28,5	-	7,0	black	50	700
097200280003000	62,0	28,5	-	7,0	white	50	700
097200300001000	61,0	30,5	-	8,5	black	50	700

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

**!** We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Cover collars

Application: collars  
Material: polyethylene  
Standard-Colour: black, white

LKF



Order No.	Outside Ø	Inside Ø	Inside Ø	Height	Colour	PU*	MOQ**
	D	d	d in inch	H			
097200300003000	61,0	30,5		8,5	white	50	700
097200340001000	70,0	34,5	1	7,0	black	50	700
097200340003000	70,0	34,5	1	7,0	white	50	700
097200420003000	76,5	42,5	1 1/4	7,0	white	25	700
097200420001000	76,5	42,5	1 1/4	7,0	black	25	700
097200480001000	88,0	48,5	1 1/2	7,0	black	25	300
097200480003000	88,0	48,5	1 1/2	7,0	white	25	300
097200600001000	99,5	60,5	2	7,0	black	25	300
097200600003000	99,5	60,5	2	7,0	white	25	300

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.


We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

**AST**

Application: for drill holes  
 Additional Info: not removable, UL and CSA approved,  
 Flammability UL 94 V-2  
 Material: polyamide  
 Standard-Colour: black



Order No.	Mounting hole Ø	Max. wall thickness	Head Ø	Total height	Head height	Colour	PU*	MOQ**
			A	B	C			
H25900001000	4,7	1,6	6,4	5,9	1,1	black	20000	-
056100120001000	17,4	3,2	19,8	10,3	1,6	black	2200	2200
H26030001000	6,4	1,6	7,9	7,9	1,6	black	5000	5000
H26130001000	7,9	1,6	9,5	7,9	1,6	black	1000	-
H26170001000	9,5	3,2	11,9	10,3	1,6	black	5000	-
H26330001000	11,1	3,2	13,5	10,3	1,6	black	2000	-
H26430001000	12,7	3,2	14,7	10,3	1,6	black	2000	-
H26530001000	14,3	3,2	16,7	10,3	1,6	black	5000	-
H26630001000	15,9	3,2	18,2	10,3	1,6	black	2000	-
H26730001000	17,4	3,2	19,8	10,3	1,6	black	2000	-
H26830001000	19,1	3,2	23,4	10,3	1,6	black	2000	-
H26930001000	20,6	3,2	25,1	10,3	1,6	black	5000	-
H27030001000	22,2	3,2	25,8	11,5	1,6	black	1000	-
H27130001000	25,4	3,2	30,6	11,5	1,6	black	7000	-
H27230001000	28,0	3,2	30,9	11,5	1,6	black	4000	-
H27330001000	30,1	3,2	33,3	11,5	1,6	black	5000	-
H27400001000	31,8	3,2	34,9	11,5	1,6	black	1000	-
H27530001000	34,9	3,2	38,1	11,5	1,6	black	2500	-
H27630001000	38,1	3,2	42,4	11,5	1,6	black	10000	-
H27730001000	44,5	3,2	48,4	11,5	1,6	black	2500	-
H27830001000	50,8	3,2	55,1	12,2	2,3	black	1000	-
H24110001000	57,2	6,4	61,5	19,1	2,8	black	500	-
H27900001000	63,5	6,4	69,0	19,1	2,8	black	450	-
H24550001000	76,2	6,4	80,5	19,1	2,8	black	300	-
H24820001000	85,7	6,4	92,9	19,1	2,8	black	100	-
H24640001000	88,9	6,4	92,9	19,1	2,8	black	200	-
H24730001000	101,6	6,4	105,6	19,1	2,8	black	100	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054025100001000	10,0	2,5	5,0	black	1000	5000
054025100003000	10,0	2,5	5,0	white	5000	5000
054025120001000	12,0	2,5	5,0	black	1000	5000
054025120003000	12,0	2,5	5,0	white	1000	5000
054025150001000	15,0	2,5	5,0	black	5000	5000
054025150003000	15,0	2,5	5,0	white	5000	5000
054028060001000	5,8	2,8	7,0	black	1000	5000
054028060003000	5,8	2,8	7,0	white	1000	5000
054028110001000	11,0	2,8	4,8	black	1000	5000
054028110003000	11,0	2,8	4,8	white	1000	5000
054030120001000	12,0	3,0	6,0	black	1000	5000
054030120003000	12,0	3,0	6,0	white	1000	5000
054030150001000	15,0	3,0	6,0	black	1000	5000
054030150003000	15,0	3,0	6,0	white	1000	5000
054030180001000	18,0	3,0	7,0	black	5000	5000
054030180003000	18,0	3,0	7,0	white	5000	5000
054040060001000	6,4	4,0	5,3	black	1000	5000
054040060003000	6,4	4,0	5,3	white	1000	5000
054040080001000	8,0	4,0	3,0	black	1000	5000
054040080003000	8,0	4,0	3,0	white	1000	5000
054040100001000	10,0	4,0	5,3	black	5000	5000
054040100003000	10,0	4,0	5,3	white	5000	5000
054040130001000	13,0	4,0	5,3	black	5000	5000
054040130003000	13,0	4,0	5,3	white	5000	5000
054041080001000	8,0	4,1	7,0	black	1000	5000
054041080003000	8,0	4,1	7,0	white	1000	5000
054050060001000	6,6	5,0	5,5	black	1000	5000
054050060003000	6,6	5,0	5,5	white	1000	5000
054050080001000	8,0	5,0	5,0	black	1000	5000
054050080003000	8,0	5,0	5,0	white	1000	5000
054050100001000	10,0	5,0	5,5	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054050100003000	10,0	5,0	5,5	white	1000	5000
054050130001000	13,0	5,0	5,5	black	1000	5000
054050130003000	13,0	5,0	5,5	white	1000	5000
054050150001000	15,0	5,0	5,5	black	1000	5000
054050150003000	15,0	5,0	5,5	white	1000	5000
054050200001000	20,0	5,0	7,5	black	5000	5000
054050200003000	20,0	5,0	7,5	white	5000	5000
054051080001000	8,0	5,0	5,5	black	1000	5000
054051080003000	8,0	5,0	5,5	white	1000	5000
054051130001000	13,0	5,0	4,0	black	1000	5000
054051130003000	13,0	5,0	4,0	white	1000	5000
054052130001000	13,0	5,2	7,0	black	1000	5000
054052130003000	13,0	5,2	7,0	white	1000	5000
054054080001000	8,0	5,4	7,4	black	1000	5000
054054080003000	8,0	5,4	7,4	white	1000	5000
054054100001000	10,0	5,4	7,4	black	1000	5000
054054100003000	10,0	5,4	7,4	white	1000	5000
054054130001000	13,0	5,4	7,4	black	1000	5000
054054130003000	13,0	5,4	7,4	white	1000	5000
054054150001000	15,0	5,4	7,4	black	1000	5000
054054150003000	15,0	5,4	7,4	white	1000	5000
054055080001000	8,0	5,5	5,8	black	1000	5000
054055080003000	8,0	5,5	5,8	white	1000	5000
054055100001000	10,0	5,5	5,6	black	1000	5000
054055100003000	10,0	5,5	5,6	white	1000	5000
054055120001000	12,0	5,5	5,6	black	1000	5000
054055120003000	12,0	5,5	5,6	white	1000	5000
054060080001000	8,0	6,0	5,4	black	1000	5000
054060080003000	8,0	6,0	5,4	white	1000	5000
054060100001000	10,0	6,0	5,4	black	1000	5000
054060100003000	10,0	6,0	5,4	white	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054060130001000	13,0	6,0	5,4	black	1000	5000
054060130003000	13,0	6,0	5,4	white	1000	5000
054060150001000	15,0	6,0	5,4	black	1000	5000
054060150003000	15,0	6,0	5,4	white	1000	5000
054065150001000	15,0	6,6	7,0	black	1000	5000
054065150003000	15,0	6,6	7,0	white	1000	5000
054066130001000	13,0	6,6	7,0	black	1000	5000
054066130003000	13,0	6,6	7,0	white	1000	5000
054070100001000	10,0	7,0	6,5	black	1000	5000
054070100003000	10,0	7,0	6,5	white	1000	5000
054070130001000	13,0	7,0	6,5	black	1000	5000
054070130003000	13,0	7,0	6,5	white	1000	5000
054070150001000	15,0	7,0	6,5	black	1000	5000
054070150003000	15,0	7,0	6,5	white	1000	5000
054070160001000	16,0	7,0	6,5	black	1000	5000
054070160003000	16,0	7,0	6,5	white	1000	5000
054070200001000	20,0	7,0	7,5	black	1000	5000
054070200003000	20,0	7,0	7,5	white	1000	5000
054071100001000	10,0	7,0	3,9	black	1000	5000
054071100003000	10,0	7,0	3,9	white	1000	5000
054072100001000	10,0	7,2	2,0	black	1000	5000
054072100003000	10,0	7,2	2,0	white	1000	5000
054079130001000	13,0	7,9	6,0	black	1000	5000
054079130003000	13,0	7,9	6,0	white	1000	5000
054080100001000	10,0	8,0	6,3	black	1000	5000
054080100003000	10,0	8,0	6,3	white	1000	5000
054080130001000	13,0	8,0	6,3	black	1000	5000
054080130003000	13,0	8,0	6,3	white	1000	5000
054080150001000	15,0	8,0	6,3	black	1000	5000
054080150003000	15,0	8,0	6,3	white	1000	5000
054080160001000	16,0	8,0	6,3	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054080160003000	16,0	8,0	6,3	white	5000	5000
054080170001000	17,0	8,0	6,3	black	5000	5000
054080170003000	17,0	8,0	6,3	white	5000	5000
054085130001000	13,0	8,5	6,9	black	1000	5000
054085130003000	13,0	8,5	6,9	white	1000	5000
054085150001000				black	1000	5000
054085150003000	15,0	8,5	6,9	white	1000	5000
054085160001000	16,0	8,5	6,9	black	1000	5000
054085160003000	16,0	8,5	6,9	white	1000	5000
054090120001000	12,0	9,0	6,4	black	1000	5000
054090120003000	12,0	9,0	6,4	white	1000	5000
054090130001000	13,0	9,0	6,4	black	1000	5000
054090130003000	13,0	9,0	6,4	white	1000	5000
054090150001000	15,0	9,0	6,4	black	1000	5000
054090150003000	15,0	9,0	6,4	white	1000	5000
054090160001000	16,0	9,0	6,4	black	5000	5000
054090160003000	16,0	9,0	6,4	white	1000	5000
054100120001000	12,0	10,0	6,7	black	1000	5000
054100120003000	12,0	10,0	6,7	white	1000	5000
054100130001000	13,0	10,0	6,7	black	1000	5000
054100130003000	13,0	10,0	6,7	white	1000	5000
054100150001000	15,0	10,0	6,7	black	1000	5000
054100150003000	15,0	10,0	6,7	white	1000	5000
054100160001000	16,0	10,0	6,7	black	1000	5000
054100160003000	16,0	10,0	6,7	white	1000	5000
054101130001000	13,0	10,0	3,0	black	1000	5000
054101130003000	13,0	10,0	3,0	white	1000	5000
054105130001000	13,0	10,5	4,0	black	1000	5000
054105130003000	13,0	10,5	4,0	white	1000	5000
054110130003000	13,0	11,0	5,0	white	1000	5000
054110130001000	13,0	11,0	5,0	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

**B**


Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054110150001000	15,0	11,0	5,0	black	1000	5000
054110150003000	15,0	11,0	5,0	white	1000	5000
054110160001000	16,0	11,0	5,0	black	1000	5000
054110160003000	16,0	11,0	5,0	white	1000	5000
054120150001000	15,0	12,0	8,4	black	1000	5000
054120150003000	15,0	12,0	8,4	white	5000	5000
054120180001000	18,0	12,0	8,4	black	1000	5000
054120180003000	18,0	12,0	8,4	white	1000	5000
054121150001000	15,0	12,0	11,6	black	1000	5000
054121150003000	15,0	12,0	11,6	white	1000	5000
054130160001000	16,0	13,0	8,5	black	1000	5000
054130160003000	16,0	13,0	8,5	white	5000	5000
054130170001000	17,0	13,0	8,5	black	1000	5000
054130170003000	17,0	13,0	8,5	white	1000	5000
054140180001000	18,0	14,0	7,0	black	1000	5000
054140180003000	18,0	14,0	7,0	white	1000	5000
054150170001000	17,0	15,0	9,0	black	1000	5000
054150170003000	17,0	15,0	9,0	white	1000	5000
054150180001000	18,0	15,0	1,4	black	1000	5000
054150180003000	18,0	15,0	1,4	white	1000	5000
054150190001000	19,0	15,0	9,0	black	1000	5000
054150190003000	19,0	15,0	9,0	white	1000	5000
054150200001000	20,0	15,0	4,0	black	1000	5000
054150200003000	20,0	15,0	4,0	white	1000	5000
054151170001000	17,0	15,0	3,0	black	1000	5000
054151170003000	17,0	15,0	3,0	white	1000	5000
054151190001000	19,0	15,0	3,0	black	1000	5000
054151190003000	19,0	15,0	3,0	white	1000	5000
054151200001000	20,0	15,0	3,0	black	1000	5000
054151200003000	20,0	15,0	3,0	white	1000	5000
054155190001000	19,0	15,5	4,5	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.  
All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.





We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Cover plugs

Application: for drill holes  
Material: polyethylene  
Standard-Colour: black, white

**B**


Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054155190003000	19,0	15,5	4,5	white	1000	5000
054170240001000	24,5	17,0	6,0	black	1000	5000
054170240003000	24,5	17,0	6,0	white	1000	5000
054183280001000	28,0	18,3	6,0	black	1000	5000
054183280003000	28,0	18,3	6,0	white	1000	5000
054200230001000	23,0	20,0	10,0	black	1000	5000
054200230003000	23,0	20,0	10,0	white	1000	5000
054201230001000	23,0	20,0	3,0	black	1000	5000
054201230003000	23,0	20,0	3,0	white	1000	5000
054204280003000	28,0	20,4	4,8	white	1000	5000
054208280001000	28,0	20,8	4,8	black	5000	5000
054208280003000	28,0	20,8	4,8	white	5000	5000
054250300001000	30,0	25,0	5,0	black	5000	5000
054250300003000	30,0	25,0	5,0	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Blind plugs (removable)

**BST**

Application: for drill holes  
 Additional Info: removable, reusable, flat, dull head, UL and CSA approved, Flammability UL 94 V-2  
 Material: polyamide  
 Standard-Colour: black



Order No.	Mounting hole Ø	Head Ø	Total height	Head height	Colour	PU*	MOQ**
		A	B	C			
H30530001000	6,4	10,7	8,3	1,6	black	5000	-
056100080001000	12,4	14,7	10,2	1,5	black	1000	4000
056100090001000	34,2	38,1	11,7	1,8	black	200	800
H30560001000	7,9	14,6	10,3	1,6	black	8000	-
H30590001000	9,5	14,7	10,3	1,6	black	1000	-
H30620001000	11,1	15,5	10,3	1,6	black	1000	1000
H30680001000	14,3	18,6	10,3	1,6	black	2000	-
H30710001000	15,9	20,2	10,3	1,6	black	500	-
H30740001000	17,4	22,6	10,3	1,6	black	2000	-
H30770001000	19,1	24,6	10,3	1,6	black	7500	-
H30800001000	20,6	26,2	10,3	1,6	black	500	-
H30830001000	22,2	27,4	10,3	1,6	black	2000	-
H30860001000	25,4	30,9	10,3	1,6	black	1000	-
H30890001000	27,8	32,9	10,3	1,6	black	1000	-
H30920001000	30,1	35,7	10,3	1,6	black	5000	-
H30950001000	31,8	36,9	10,3	1,6	black	5000	-
H30980001000	34,9	40,1	11,5	1,6	black	1500	-
H31240001000	38,1	43,6	11,5	1,6	black	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.




IDEEN SIND FORMBAR  
FORM YOUR IDEAS

## Inserts for ventilation

EST

Application: inserts for ventilation  
 Additional Info: not removable, UL and CSA approved,  
 Flammability UL 94 V-2  
 Material: polyamide  
 Standard-Colour: black



Order No.	Mounting hole Ø	Max. wall thickness	Number of holes	Vent hole Ø	Head Ø	Total height	Head height	Colour	PU*	MOQ**
					A	B	C			
H26370001000	12,7	3,2	4	2,4	14,7	10,3	1,6	black	12000	12000
H26570001000	15,8	3,2	5	2,4	18,7	10,3	1,6	black	500	500
H26770001000	19,0	3,2	8	2,4	23,0	10,3	1,6	black	8500	8500
H26970001000	22,2	3,2	9	2,4	25,8	11,5	1,6	black	1000	1000
H27070001000	25,4	3,2	9	3,2	30,6	11,5	1,6	black	2000	2000
H27430001000	31,8	3,2	10	3,2	34,9	11,5	1,6	black	500	500
H27560001000	34,9	3,2	11	3,2	38,1	11,5	1,6	black	100	100
H27660001000	38,1	3,2	13	3,2	42,4	11,5	1,6	black	100	100
H27760001000	44,5	3,2	13	3,2	48,4	11,5	1,6	black	100	100
H27860001000	50,8	3,2	19	3,2	54,4	11,9	2,0	black	200	200

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Miniature cover plugs

MAS

Application: for drill holes  
 Additional Info: not removable, UL and CSA approved,  
 Flammability UL 94 V-2  
 Material: polyamide  
 Standard-Colour: black



Order No.	Mounting hole $\varnothing$	Max. wall thickness	Head $\varnothing$	Total height	Head height	Colour	PU*	MOQ**
			A	B	C			
H16540001000	5,5	1,6	7,1	6,4	1,6	black	2000	-
H16600001000	7,1	1,6	8,7	6,4	1,6	black	10000	-
H16780001000	7,9	1,6	9,5	6,4	1,6	black	10000	-
H16630001000	8,7	1,6	10,3	6,4	1,6	black	1000	-
H16660001000	10,3	1,6	11,9	6,4	1,6	black	2000	-
H16690001000	11,9	1,6	13,5	6,4	1,6	black	12000	-
H16720001000	13,5	1,6	15,1	6,4	1,6	black	10000	-
H16750001000	15,1	1,6	17,5	6,4	1,6	black	15000	-
H16900001000	15,9	1,6	18,3	6,4	1,6	black	2000	-
H16930001000	19,0	1,6	21,4	6,4	1,6	black	10000	-
H16960001000	19,8	1,6	22,6	6,4	1,6	black	2000	-
H16990001000	22,2	1,6	24,6	6,4	1,6	black	5000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Universal cover caps

Application: for drill holes  
Material: polyoxymethylene  
Standard-Colour: black

UAK



Order No.	Mounting hole $\emptyset$	Max. wall thickness	Head $\emptyset$	Total height	Head height	Colour	PU*	MOQ**
			A	B	C			
H3916890001000	9,5-11,0	0,8-3,2	16,0	12,6	1,6	black	5000	5000
H3916970001000	12,7-14,3	0,8-3,2	18,5	12,0	1,6	black	5000	5000
H3916700001000	18,4-20,6	0,8-3,2	25,0	12,0	1,6	black	2000	2000
H3915730001000	35,0-38,0	0,8-3,2	43,0	13,2	1,6	black	3000	3000
H3915810001000	45,0-47,5	0,8-3,2	52,0	13,2	1,6	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Caps for hexagon screws

**BI**

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white



Order No.	Type	Head Ø	Shaft Ø	Wrench size across flats	Shaft length	Colour	PU*	MOQ**
		D	d	SW	L			
054531220001000	G	12,0	3,1	3,0	2,2	black	1000	5000
054531220003000	G	12,0	3,1	3,0	2,2	white	1000	5000
054531230001000	G	12,0	3,1	3,0	2,0	black	1000	5000
054531230003000	G	12,0	3,1	3,0	2,0	white	1000	5000
054532090001000	G	9,0	3,2	3,0	2,2	black	1000	5000
054532090003000	G	9,0	3,2	3,0	2,2	white	1000	5000
054541020001000	F	10,0	4,2	4,0	2,9	black	1000	5000
054541020003000	F	10,0	4,2	4,0	2,9	white	1000	5000
054542100001000	F	10,0	4,2	4,0	3,0	black	1000	5000
054542100003000	F	10,0	4,2	4,0	3,0	white	1000	5000
054541330001000	G	13,0	4,2	4,0	2,9	black	1000	5000
054541330003000	G	13,0	4,2	4,0	2,9	white	1000	5000
054542130001000	G	13,0	4,2	4,0	3,0	black	1000	5000
054542130003000	G	13,0	4,2	4,0	3,0	white	1000	5000
054541420001000	G	14,5	4,2	4,0	2,4	black	1000	5000
054541420003000	G	14,5	4,2	4,0	2,4	white	1000	5000
054543140001000	G	14,5	4,2	4,0	3,0	black	1000	5000
054543140003000	G	14,5	4,2	4,0	3,0	white	1000	5000
054541820001000	F	18,0	4,2	4,0	2,9	black	5000	5000
054541820003000	F	18,0	4,2	4,0	2,9	white	5000	5000
054541850001000	F	18,0	4,4	4,0	5,0	black	5000	5000
054541850003000	F	18,0	4,4	4,0	5,0	white	5000	5000
054542180001000	F	18,0	4,2	4,0	2,9	black	5000	5000
054542180003000	F	18,0	4,2	4,0	2,9	white	5000	5000
054543180001000	G	18,0	4,2	4,0	5,0	black	5000	5000
054543180003000	G	18,0	4,2	4,0	5,0	white	5000	5000
054541860001000	F	18,0	4,3	4,0	3,5	black	5000	5000
054541860003000	F	18,0	4,3	4,0	3,5	white	5000	5000
054541320001000	G	12,5	4,4	4,0	2,0	black	5000	5000
054541520001000	G	14,5	4,4	4,0	2,4	black	5000	5000
054541520003000	G	14,5	4,4	4,0	2,4	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.



We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Caps for hexagon screws

BI

Application: for screws and screw nuts  
Material: polyethylene  
Standard-Colour: black, white



Order No.	Type	Head Ø	Shaft Ø	Wrench size across flats	Shaft length	Colour	PU*	MOQ**
		D	d	SW	L			
054544140001000	G	14,5	4,4	4,0	3,0	black	5000	5000
054544140003000	G	14,5	4,4	4,0	3,0	white	5000	5000
054541870001000	F	18,0	4,4	4,0	5,5	black	5000	5000
054541870003000	F	18,0	4,4	4,0	5,5	white	5000	5000
054551020003000	G	10,0	5,3	5,0	2,7	white	1000	5000
054553100001000	G	10,0	5,3	5,0	2,6	black	1000	5000
054553100003000	G	10,0	5,3	5,0	2,6	white	1000	5000
054551120001000	G	11,5	5,3	5,0	2,7	black	1000	5000
054551120003000	G	11,5	5,3	5,0	2,7	white	1000	5000
054553110001000	G	11,5	5,3	5,0	2,6	black	5000	5000
054553110003000	G	11,5	5,3	5,0	2,6	white	5000	5000
054551840001000	F	18,0	5,3	5,0	4,0	black	1000	5000
054551840003000	F	18,0	5,3	5,0	4,0	white	1000	5000
054561230001000	G	12,0	6,2	6,0	3,5	black	5000	5000
054561230003000	G	12,0	6,2	6,0	3,5	white	5000	5000
054561530001000	G	15,0	6,2	6,0	3,5	black	5000	5000
054561530003000	G	15,0	6,2	6,0	3,5	white	5000	5000
054561860001000	G	18,0	6,2	6,0	6,5	black	5000	5000
054561860003000	G	18,0	6,2	6,0	6,5	white	5000	5000
054581530001000	G	15,0	8,2	8,0	3,5	black	5000	5000
054581530003000	G	15,0	8,2	8,0	3,5	white	5000	5000
054581830001000	G	18,0	8,2	8,0	3,5	black	5000	5000
054581830003000	G	18,0	8,2	8,0	3,5	white	5000	5000
054582160001000	G	21,0	8,2	8,0	3,5	black	5000	5000
054582160003000	G	21,0	8,2	8,0	3,5	white	5000	5000
054510150001000	G	15,0	10,5	10,0	3,5	black	5000	5000
054510150003000	G	15,0	10,5	10,0	3,5	white	5000	5000
054510180001000	G	18,0	10,5	10,0	3,5	black	1000	1000
054510180003000	G	18,0	10,5	10,0	3,5	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Hexagon protection caps

**BK**

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white, grey



Order No.	Thread	Total height	Hexagon depth	Wrench size across flats	Outside Ø	10000	Colour	PU*	MOQ**
		A	C	SW	D				
089900040001000	M 4	9,4	6,3	7,0	10,7		black	10000	10000
089900040002000	M 4	9,4	6,3	7,0	10,7		grey	10000	10000
089900040003000	M 4	9,4	6,3	7,0	10,7		white	10000	10000
089900050001000	M 5	9,5	5,9	8,0	10,6		black	10000	-
089900050002000	M 5	9,5	5,9	8,0	10,6		grey	10000	10000
089900050003000	M 5	9,5	5,9	8,0	10,6		white	10000	10000
089900060001000	M 6	12,5	5,7	9,8	12,8		black	10000	-
089900060002000	M 6	12,5	5,7	9,8	12,8		grey	10000	-
089900060003000	M 6	12,5	5,7	9,8	12,8		white	10000	-
089900080001000	M 8	16,5	8,4	13,0	16,6		black	10000	-
089900080002000	M 8	16,5	8,4	13,0	16,6		grey	10000	-
089900080003000	M 8	16,5	8,4	13,0	16,6		white	10000	-
089900090001000	M10	19,5		16,0			black	100	-
089900100001000	M 10	18,8	9,4	16,7	20,9		black	5000	-
089900100002000	M 10	18,8	9,4	16,7	20,9		grey	5000	-
089900100003000	M 10	18,8	9,4	16,7	20,9		white	5000	-
089900120001000	M 12	21,5	11,1	18,8	23,5		black	5000	-
089900120002000	M 12	21,5	11,1	18,8	23,5		grey	5000	-
089900120003000	M 12	21,5	11,1	18,8	23,5		white	5000	-
089900140001000	M 14	26,7	14,0	21,0	27,1		black	2500	2500
089900140002000	M 14	26,7	14,0	21,0	27,1		grey	2500	2500
089900140003000	M 14	26,7	14,0	21,0	27,1		white	2500	2500
089900160001000	M 16	26,9	13,7	23,9	29,4		black	3000	-
089900160002000	M 16	26,9	13,7	23,9	29,4		grey	3000	3000
089900160003000	M 16	26,9	13,7	23,9	29,4		white	3000	3000
089900180001000	M 18	30,3	17,4	26,5	33,3		black	100	-
089900180002000	M 18	30,3	17,4	26,5	33,3		grey	100	-
089900200001000	M 20	36,2	19,2	29,0	37,6		black	1000	2000
089900200002000	M 20	36,2	19,2	29,0	37,6		grey	1000	2000
089900200003000	M 20	36,2	19,2	29,0	37,6		white	1000	2000
089900220001000	M 22	36,0	20,0	31,3	38,9		black	100	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.





We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Hexagon protection caps

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white, grey

**BK**


Order No.	Thread	Total height	Hexagon depth	Wrench size across flats	Outside $\varnothing$	10000	Colour	PU*	MOQ**
		A	C	SW	D				
089900220002000	M 22	36,0	20,0	31,3	38,9		grey	100	-
089900240001000	M 24	39,3	20,2	36,0	43,9		black	100	-
089900270001000	M 27	46,5	24,1	42,0	50,0		black	50	-
089900300001000	M 30	52,6	26,8	45,8	56,3		black	250	750
089900330001000	M 33	56,2	28,3	48,7	59,5		black	25	-
089900360001000	M 36	64,0	32,0	54,1	66,5		black	250	-
089900390001000	M 39	61,0	34,6	59,5	72,0		black	25	-
089900420001000	M 42	63,1	36,6	64,0	76,6		black	25	-
089900450001000	M 45	88,4	34,5	68,4	84,0		black	25	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.




We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Flat head caps

**BKP**

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white



Order No.	Outside Ø	Inside Ø	Height	Colour	PU*	MOQ**
	D	D1	H			
050560090001000	9,0	6,0	3,5	black	1000	5000
050560090003000	9,0	6,0	3,5	white	1000	5000
050570090001000	9,2	7,0	4,0	black	1000	5000
050570090003000	9,2	7,0	4,0	white	1000	5000
050560100001000	10,0	6,0	4,0	black	1000	5000
050560100003000	10,0	6,0	4,0	white	1000	5000
050570100001000	10,5	7,0	5,0	black	1000	5000
050570100003000	10,5	7,0	5,0	white	1000	5000
050570120001000	12,0	7,0	4,2	black	1000	5000
050570120003000	12,0	7,0	4,2	white	1000	5000
050580120001000	12,0	8,2	2,5	black	1000	5000
050580120003000	12,0	8,2	2,5	white	1000	5000
050590120001000	12,0	9,0	2,5	black	1000	5000
050590120003000	12,0	9,0	2,5	white	1000	5000
050590130001000	12,0	9,0	5,0	black	1000	5000
050590130003000	12,0	9,0	5,0	white	1000	5000
050590140001000	14,0	9,0	4,7	black	1000	5000
050590140003000	14,0	9,0	4,7	white	1000	5000
050510140001000	14,0	10,5	3,8	black	5000	5000
050510140003000	14,0	10,5	3,8	white	5000	5000
050511140001000	14,0	11,0	3,8	black	5000	5000
050511140003000	14,0	11,0	3,8	white	1000	5000
050511150001000	15,0	11,5	4,0	black	1000	5000
050511150003000	15,0	11,5	4,0	white	5000	5000
050512160001000	16,0	12,0	5,0	black	1000	5000
050512160003000	16,0	12,0	5,0	white	1000	5000
050515160001000	16,5	15,0	6,7	black	1000	5000
050515160003000	16,5	15,0	6,7	white	1000	5000
050511170001000	17,0	11,6	4,0	black	1000	5000
050511170003000	17,0	11,6	4,0	white	1000	5000
050512170001000	17,0	12,0	3,6	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.


We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Flat head caps

Application: for screws and screw nuts  
Material: polyethylene  
Standard-Colour: black, white

BKP



Order No.	Outside Ø	Inside Ø	Height	Colour	PU*	MOQ**
	D	D1	H			
050512170003000	17,0	12,0	3,6	white	1000	5000
050515180001000	18,0	15,0	5,3	black	1000	5000
050515180003000	18,0	15,0	5,3	white	1000	5000
050515190001000	19,0	15,0	5,7	black	1000	5000
050515190003000	19,0	15,0	5,7	white	1000	5000
050522250001000	25,0	22,0	10,0	black	1000	5000
050522250003000	25,0	22,0	10,0	white	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.




We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Cover caps for pozidrive cross screws

**BS 1**

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white



Order No.	Head Ø	Height	For pozidrive	Colour	PU*	MOQ**
	D	H	size			
054701080003000	8,1	1,7	Gr. I	white	1000	5000
054701080001000	8,1	1,7	Gr. I	black	1000	5000
054702090003000	9,0	1,7	Gr. II	white	1000	5000
054702090001000	9,0	1,7	Gr. II	black	1000	5000
054702120003000	12,0	1,7	Gr. II	white	1000	5000
054702120001000	12,0	1,7	Gr. II	black	1000	5000
054703130003000	13,0	2,4	Gr. III	white	1000	5000
054703130001000	13,0	2,4	Gr. III	black	1000	5000
054703140003000	15,0	2,4	Gr. III	white	1000	5000
054703140001000	15,0	2,4	Gr. III	black	1000	5000
054704140003000	14,0	2,2	Gr. IV	white	1000	5000
054704140001000	14,0	2,2	Gr. IV	black	1000	5000
054704180003000	18,1	2,2	Gr. IV	white	1000	10000
054704180001000	18,1	2,2	Gr. IV	black	1000	5000
054705180003000	18,2	2,2	Gr. V	white	1000	5000
054705180001000	18,2	2,2	Gr. V	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Cover caps for Phillips cross screws

BS 2

Application: for screws and screw nuts  
Material: polyethylene  
Standard-Colour: black, white



Order No.	Head Ø	Height	For Phillips	Colour	PU*	MOQ**
	D	H	size			
054802120001000	12,0	2,2	Gr. II	black	1000	5000
054802120003000	12,0	2,2	Gr. II	white	1000	5000
054803150001000	15,0	2,0	Gr. III	black	1000	5000
054803150003000	15,0	2,0	Gr. III	white	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.

We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Caps for torx screws

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white

**BT**


Order No.	Head Ø	Height	Torx	Colour	PU*	MOQ**
	D	H	size			
054610120001000	12,0	2,0	10,0	black	1000	5000
054610120003000	12,0	2,0	10,0	white	1000	5000
054615120001000	12,0	2,0	15,0	black	5000	5000
054615120003000	12,0	2,0	15,0	white	5000	5000
054620120001000	12,0	2,0	20,0	black	1000	5000
054620120003000	12,0	2,0	20,0	white	1000	5000
054625130001000	13,5	2,1	25,0	black	1000	5000
054625130003000	13,5	2,1	25,0	white	1000	5000
054625150001000	15,0	2,0	25,0	black	5000	5000
054625150003000	15,0	2,0	25,0	white	5000	5000
054625180001000	18,0	2,0	25,0	black	5000	5000
054625180003000	18,0	2,0	25,0	white	5000	5000
054630160001000	16,5	2,2	30,0	black	1000	5000
054630160003000	16,5	2,2	30,0	white	1000	5000
054640180001000	18,0	2,0	40,0	black	1000	5000
054640180003000	18,0	2,0	40,0	white	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.


We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.





## Decorative caps

Application: for screws and screw nuts  
 Material: polyethylene  
 Standard-Colour: black, white

**BZK**


Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
054920080001000	8,0	2,0	1,5	black	1000	5000
054926120001000	12,0	2,6	5,0	black	1000	5000
054926120003000	12,0	2,6	5,0	white	1000	5000
054926130001000	13,0	2,6	4,0	black	1000	5000
054926130003000	13,0	2,6	4,0	white	1000	5000
054930130001000	13,0	3,0	4,0	black	1000	5000
054930130003000	13,0	3,0	4,0	white	1000	5000
054932130001000	13,0	3,2	4,0	black	1000	5000
054932130003000	13,0	3,2	4,0	white	1000	5000
054939130001000	13,0	3,9	10,0	black	1000	5000
054939130003000	13,0	3,9	10,0	white	1000	5000
054952140001000	14,0	5,2	10,0	black	1000	5000
054952140003000	14,0	5,2	10,0	white	1000	5000
054926150001000	15,0	2,6	4,0	black	1000	5000
054926150003000	15,0	2,6	4,0	white	1000	5000
054930150001000	15,0	3,0	5,0	black	1000	5000
054930150003000	15,0	3,0	5,0	white	1000	5000
054939150003000	15,8	3,9	8,8	white	1000	5000
054930180001000	18,0	3,0	2,0	black	1000	5000
054930190001000	18,0	3,0	7,0	black	1000	5000
054930190003000	18,0	3,0	7,0	white	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.


We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Caps for hexagon screws

**SKEC**

Application: Caps for hexagon screws  
 Additional Info: Attention! Screw is not included in the scope of delivery. Items are UV-stabilised. Please send us your inquiry if you need  
 Material: PP + UVA  
 Standard-Colour: black, white, blue, yellow, green, red



Order No.	suitable for	Base	Cap	Base	Cap + Base	Cap	Type	Colour	PU*	MOQ**
		D	d1	d2	H	h1				
870500010001000	M6 to M8	30,00		8,30	14,00	-	Boden / Base	black	5000	5000
870500010003000	M6 to M8	30,00		8,30	14,00	-	Boden / Base	white	5000	5000
870500013115000	M6 to M8	30,00		8,30	14,00	-	Boden / Base	yellow	5000	5000
870500013116000	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	red	5000	5000
870500013117000	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	green	5000	5000
870500013118000	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	blue	5000	5000
870500020001000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	black	5000	5000
870500020003000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	white	5000	5000
870500023115000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	yellow	5000	5000
870500023116000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	red	5000	5000
870500023117000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	green	5000	5000
870500023118000	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	blue	5000	5000
870500030001000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	black	5000	5000
870500030003000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	white	5000	5000
870500033115000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	yellow	5000	5000
870500033116000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	red	5000	5000
870500033117000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	green	5000	5000
870500033118000	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	blue	5000	5000
870500040001000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	black	5000	5000
870500040003000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	white	5000	5000
870500043115000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	yellow	5000	5000
870500043116000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	red	5000	5000
870500043117000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	green	5000	5000
870500043118000	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	blue	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.  
 All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

**!** We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.  
 We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.