

## 9 Various furniture fittings

Fasteners, shelf supports, spring mounting, glass rests, stacking glides, shoe cabinet fittings, self-adhesive felts - dampers - covers. Bearing blocks for tables with accessories. Excenters.



**BTW**  
Page: 2



**FHO**  
Page: 3



**Y**  
Page: 4



**YG1**  
Page: 5



**BSK**  
Page: 6



**DOROBUMP**  
Page: 7



**QF**  
Page: 9



**UP**  
Page: 11



**YP**  
Page: 12



**BLN**  
Page: 13



**PTC**  
Page: 14




**SBN**  
Page: 15



**SPK**  
Page: 16



**TLB 1**  
Page: 17



**TLB 2**  
Page: 18



**TLB 3**  
Page: 19



**TLB 4**  
Page: 20



**TLB 5**  
Page: 21



**RV**  
Page: 22




**RV 1**  
Page: 23

## Shelf supports

Application: supports for shelves / spring mounting  
Material: polyamide  
Standard-Colour: black

BTW



Order No.	Peg Ø	Colour	PU*	MOQ**
	<b>D</b>			
080200050001000	5,0	black	1000	5000
080200060001000	6,0	black	1000	5000
080200070001000	7,0	black	5000	5000
080200080001000	8,0	black	1000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.


\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Spring mounting

Application: supports for shelves / spring mounting  
Material: polypropylene  
Standard-Colour: white



Order No.	Width	Height	Slot	Total length	Loop	Colour	PU*	MOQ**
	<b>B</b>	<b>H</b>	<b>F</b>	<b>L</b>	<b>b</b>			
821040010003000	11,8	20,0	1,8	33,7	4,0	white	4000	4000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Stacking glides

Y

Application: stacking glides  
 Additional Info: Attention! Please consider that not all glides have the same clamping ribs form  
 Material: polyethylene  
 Standard-Colour: black



Order No.	Head Ø	Thickness	Pin Ø	Length	Slot Ø	Slot width	Cone Ø	Cone Ø	Colour	PU*	MOQ**
	D	S	d	L	d1	S1	d2	d3			
094143080001000	14,0	3,0	7,8	8,5	-	-	-	-	black	5000	5000
094123060001000	12,0	3,0	5,8	7,0	-	-	-	-	black	1000	-
094136070001000	13,0	5,2	-	5,0	5,4	2,0	7,5	5,5	black	5000	-
094134080001000	13,1	4,5	-	5,5	7,0	2,0	9,3	5,3	black	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Glass rests

Application: glass rests  
Material: polyvinyl chloride  
Standard-Colour: uncoloured

YG1



Order No.	Head $\varnothing$	Thickness	Pin $\varnothing$	Length	Colour	PU*	MOQ**
	D	S	d	L			
095083040004000	8,0	2,5	4,0	6,0	nature	1000	-
095143080004000	14,0	3,0	8,0	7,0	nature	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Self adhesive covers for drill holes

BSK

Application: self adhesive felts / damper / covers  
 Material: ABS  
 Standard-Colour: white, grey, black, ash, pine, oak, beech, walnut, cherry, mahogany



Order No.	Ø	Height	Colour	PU*	MOQ**
ISKA0130001000	13	0,45	black	2000	10000
ISKA0130002000	13	0,45	grey	2000	10000
ISKA0130003000	13	0,45	white	2000	10000
ISKA0131272000	13	0,45	silver	2000	10000
ISKA0131992000	13	0,45	pine	2000	10000
ISKA0131993000	13	0,45	oak	2000	10000
ISKA0131994000	13	0,45	beech	2000	10000
ISKA0131995000	13	0,45	walnut	2000	10000
ISKA0131996000	13	0,45	cherry	2000	10000
ISKA0131997000	13	0,45	mahagoni	2000	10000
ISKA0131998000	13	0,45	ash	2000	10000
ISKA0200001000	20	0,45	black	900	9000
ISKA0200002000	20	0,45	grey	900	9000
ISKA0200003000	20	0,45	white	900	9000
ISKA0201272000	20	0,45	silver	900	9000
ISKA0201992000	20	0,45	pine	900	9000
ISKA0201993000	20	0,45	oak	900	9000
ISKA0201994000	20	0,45	beech	900	9000
ISKA0201995000	20	0,45	walnut	900	9000
ISKA0201996000	20	0,45	cherry	900	9000
ISKA0201997000	20	0,45	mahagoni	900	9000
ISKA0201998000	20	0,45	ash	900	9000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Universal, elastic pads (self adhesive glass rests)

## DOROBUMP

Application: self adhesive felts / damper / covers  
Material: polyurethane  
Standard-Colour: uncoloured, black



Order No.	Ø	Height	Note	Colour	PU*	MOQ**
DB30060004000	6,40	1,90	rund	nature	561	5049
DB30080001000	8,00	2,20	rund	black	480	14400
DB30080004000	8,00	2,20	rund	nature	392	5096
DB30790001000	7,90	2,50	rund	black	480	10192
DB30790004000	7,90	2,50	rund	nature	392	5096
DB30100001000	10,00	3,10	rund	black	288	10080
DB30100004000	10,00	3,10	rund	nature	288	10080
DB31150001000	11,10	5,00	rund	black	242	5082
DB31150004000	11,10	5,00	rund	nature	242	5082
DB31500001000	16,00	7,90	rund	black	128	3072
DB31500004000	16,00	7,90	rund	nature	128	1024
DB31900001000	19,00	9,50	rund	black	2058	2058
DB31900004000	19,00	9,50	rund	nature	2058	2058
DB30750001000	7,50	3,00	rund	black	288	10080
DB30750004000	7,50	3,00	rund	nature	288	4032
DB31200001000	10,10	1,80	rund	black	288	10080
DB31200004000	10,10	1,80	rund	nature	288	10080
DB31220001000	12,70	1,80	rund	black	200	10000
DB31220004000	12,70	1,80	rund	nature	200	10000
DB31250004000	12,70	3,50	rund	nature	200	5000
DB30140001000	14,00	4,50	rund	black	128	5120
DB30140004000	14,00	4,50	rund	nature	128	5120
DB31910001000	19,00	1,90	rund	black	98	2548
DB31910004000	19,00	1,90	rund	nature	98	2548
DB31000001000	10,00 x 10,00	2,50	eckig	black	242	10164
DB31000004000	10,00 x 10,00	2,50	eckig	nature	242	5082
DB31270001000	12,70 x 12,70	3,10	eckig	black	200	10000
DB31270004000	12,70 x 12,70	3,10	eckig	nature	200	10000
DB31260001000	12,60 x 12,60	5,70	eckig	black	200	2000
DB31260004000	12,60 x 12,60	5,70	eckig	nature	200	2000
DB32050001000	20,50 x 20,50	7,50	eckig	black	78	2028

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Universal, elastic pads (self adhesive glass rests)

## DOROBUMP

Application: self adhesive felts / damper / covers  
Material: polyurethane  
Standard-Colour: uncoloured, black



Order No.	Ø	Height	Note	Colour	PU*	MOQ**
DB32050004000	20,50 x 20,50	7,50	eckig	nature	78	2028
DB32040001000	19,70	3,00	rund	black	84	5040
DB32040004000	19,70	3,00	rund	nature	84	2520
DB30240001000	19,00	4,00	rund	black	84	1008
DB30240004000	19,00	4,00	rund	nature	1008	1008
DB30190001000	19,00	6,00	rund	black	84	1008
DB30190004000	19,00	6,00	rund	nature	84	1008
DB30200001000	20,00	6,20	rund	black	2016	2016
DB30200004000	20,00	6,20	rund	nature	2016	2016
DB32100001000	22,30	10,10	rund	black	1008	1008
DB32100004000	22,30	10,10	rund	nature	1008	1008

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Self adhesive felts

QF

Application: self adhesive felts / damper / covers  
Material: felt  
Standard-Colour: white, brown



Order No.	Dimension mm	Height	Pieces per sheet	Colour	PU*	MOQ**
ISKF000010350003000	Ø 10	1,5	108	white	5076	10152
ISKF000010351059000	Ø 10	1,5	108	brown	5076	10152
ISKF000014350003000	Ø 14	3,5	60	white	1500	7500
ISKF000014351059000	Ø 14	3,5	60	brown	1500	7500
ISKF000016350003000	Ø 16	3,5	50	white	1000	5000
ISKF000016351059000	Ø 16	3,5	50	brown	1000	5000
ISKF000018350003000	Ø 18	3,5	40	white	1000	5000
ISKF000018351059000	Ø 18	3,5	40	brown	1000	5000
ISKF000020350003000	Ø 20	3,5	50	white	1000	5000
ISKF000020351059000	Ø 20	3,5	50	brown	1000	5000
ISKF000022350003000	Ø 22	3,5	50	white	1000	5000
ISKF000022351059000	Ø 22	3,5	50	brown	1000	5000
ISKF000024350003000	Ø 24	3,5	36	white	1008	5040
ISKF000024351059000	Ø 24	3,5	36	brown	1008	5040
ISKF000026350003000	Ø 26	3,5	32	white	1024	5120
ISKF000026351059000	Ø 26	3,5	32	brown	1024	5120
ISKF000028350003000	Ø 28	3,5	24	white	1008	4032
ISKF000028351059000	Ø 28	3,5	24	brown	1008	4032
ISKF000030350003000	Ø 30	3,5	21	white	1008	4032
ISKF000030351059000	Ø 30	3,5	21	brown	1008	4032
ISKF000032350003000	Ø 32	3,5	14	white	700	2800
ISKF000032351059000	Ø 32	3,5	14	brown	700	2800
ISKF000036350003000	Ø 36	3,5	18	white	504	2016
ISKF000036351059000	Ø 36	3,5	18	brown	504	2016
ISKF000040350003000	Ø 40	3,5	12	white	504	5040
ISKF000040351059000	Ø 40	3,5	12	brown	504	5040
ISKF000045350003000	Ø 45	3,5	10	white	500	2000
ISKF000045351059000	Ø 45	3,5	10	brown	500	2000
ISKF000050350003000	Ø 50	3,5	8	white	400	1600
ISKF000050351059000	Ø 50	3,5	8	brown	400	1600
ISKF000060350003000	Ø 60	3,5	8	white	400	1600

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Self adhesive felts

QF

Application: self adhesive felts / damper / covers  
Material: felt  
Standard-Colour: white, brown



Order No.	Dimension mm	Height	Pieces per sheet	Colour	PU*	MOQ**
ISKF000060351059000	∅ 60	3,5	8	brown	400	1600
ISKF020020350003000	20 x 20	3,5	50	white	1000	5000
ISKF020020351059000	20 x 20	3,5	50	brown	1000	5000
ISKF025025350003000	25 x 25	3,5	32	white	1024	5120
ISKF025025351059000	25 x 25	3,5	32	brown	1024	5120
ISKF030030350003000	30 x 30	3,5	21	white	1008	4032
ISKF030030351059000	30 x 30	3,5	21	brown	1008	4032
ISKF034034350003000	34 x 34	3,5	12	white	504	2016
ISKF034034351059000	34 x 34	3,5	12	brown	504	2016
ISKF040040350003000	40 x 40	3,5	12	white	504	2016
ISKF040040351059000	40 x 40	3,5	12	brown	504	2016
ISKF045045350003000	45 x 45	3,5	10	white	500	2000
ISKF045045351059000	45 x 45	3,5	10	brown	500	2000
ISKF050050350003000	50 x 50	3,5	8	white	400	1600
ISKF050050351059000	50 x 50	3,5	8	brown	400	1600
ISKF030020350003000	30 x 20	3,5	28	white	1008	5040
ISKF030020351059000	30 x 20	3,5	28	brown	1008	5040
ISKF035025350003000	35 x 25	3,5	20	white	1008	4032
ISKF035025351059000	35 x 25	3,5	20	brown	1008	4032
ISKF040020350003000	40 x 20	3,5	36	white	1000	1000
ISKF040020351059000	40 x 20	3,5	36	brown	1000	1000
ISKF050025350003000	50 x 25	3,5	18	white	900	3600
ISKF050025351059000	50 x 25	3,5	18	brown	900	3600

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Self adhesive universal pads

Application: self adhesive felts / damper / covers  
Material: EVA  
Standard-Colour: transparent

UP



Order No.	Diameter	Height	Pieces per sheet	Colour	PU*	MOQ**
DBI07150009000	7	1,5	100	transparent	1000	10000
DBI08160009000	8	1,6	100	transparent	100	10000
DBI10150009000	10	1,5	100	transparent	1000	10000
DBI10300009000	10	3,0	100	transparent	1000	10000
DBI13400009000	13 (konisch / conical)	4,0	80	transparent	4000	8000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Self adhesive anti-slip pads

Application: self adhesive felts / damper / covers  
Material: EPDM  
Standard-Colour: white, black

YP



Order No.	Dimension	Height	Pieces per sheet	Colour	PU*	MOQ**
ISKP000020250001000	Ø 20	2,5	50	black	1000	5000
ISKP000020250003000	Ø 20	2,5	50	white	1000	5000
ISKP000040250001000	Ø 40	2,5	12	black	504	2520
ISKP000040250003000	Ø 40	2,5	12	white	504	2520
ISKP030030250001000	30 x 30	2,5	21	black	1008	5040
ISKP030030250003000	30 x 30	2,5	21	white	1008	5040

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Blind rivets

Application: fasteners  
 Additional Info: simple finger pressure mounting,  
 releasable  
 Material: polyamide 6.6  
 Standard-Colour: black

BLN



Order No.	Mounting hole $\varnothing$	Clamping range	Shaft length	Head height	Head $\varnothing$	Colour	PU*	MOQ**
			A	B	C			
056100280001000	4,1	5,5-6,5	8,0	1,8	8,0	black	1000	1000
H90220001000	2,7	1,8-2,6	4,0	1,4	5,0	black	1000	-
H90300001000	3,1	2,0-3,0	4,5	1,6	6,4	black	1000	-
H90340001000	3,1	4,0-5,0	6,5	1,6	6,4	black	5000	-
H90580001000	4,1	2,5-3,5	5,0	1,8	8,0	black	1000	-
H90600001000	4,1	3,5-4,5	6,0	1,8	8,0	black	500	-
H90620001000	4,1	4,5-5,5	7,0	1,8	8,0	black	5000	-
H90700001000	5,1	1,5-2,5	4,5	2,2	9,0	black	5000	-
H90740001000	5,1	3,5-4,5	6,5	2,2	9,0	black	4000	-
H90760001000	5,1	4,5-5,5	7,5	2,2	9,0	black	1000	-
H90780001000	5,1	5,5-6,5	8,5	2,2	9,0	black	2000	-
H90820001000	5,1	7,5-8,5	10,5	2,2	9,0	black	3000	3000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Pine-tree clips

Application: fasteners  
 Additional Info: self-centering fastener for unthreaded holes and blind holes, simple finger pressure mounting  
 Material: polyamide 6.6  
 Standard-Colour: black

PTC



Order No.	Mounting hole $\varnothing$	Clamping range	Head $\varnothing$	Length tip	Shaft length ripped section	Head height	Special features	Head shape	Colour	PU*	MOQ**
			A	B	C						
H270240200001000	3,0	4,0-12,0	5,5	2,3	14,5	1,5	-	2	black	18000	1000
H270240300001000	5,0	1,7-8,0	11,0	3,4	9,2	1,0	-	2	black	2000	2000
H270241000001000	6,4	3,6-10,0	15,9	2,0	14,5	1,5	-	1	black	8000	8000
H270241700001000	7,0	3,5-20,0	19,0	4,5	22,9	1,5	-	1	black	500	500
H270242500001000	5,0	1,6-6,4	10,0	3,7	8,3	1,0	n. w.	1	black	12000	12000
H270242900001000	10,0	1,5-20,0	21,5	5,7	22,6	4,0	n. w.	1	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.


\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Screw type blind rivets

Application: fasteners  
 Additional Info: for bonding metal, wood or plastic,  
 assembly by pressure on the rivet head,  
 disassembly with screwdriver  
 Material: polyoxymethylene  
 Standard-Colour: black

**SBN**



Order No.	Mounting hole $\varnothing$	Clamping range	Pin head height	Flange $\varnothing$	Flange height	Shaft length	Colour	PU*	MOQ**
			A	B	C	D			
H270260100001000	4,5-4,8	8,4 -9,9	0,0	9,7	1,5	18,3	black	6500	6500
H270260400001000	5,8-6,1	3,0-5,0	2,5	11,0	1,5	17,5	black	1000	1000
H270260600001000	6,3-6,8	2,5-8,0	0,8	17,8	2,8	22,8	black	3500	3500
H270260700001000	6,3-6,8	2,5-8,5	0,8	15,5	3,0	22,8	black	4500	4500
H270261000001000	8,0-8,5	3,5-8,5	0,8	15,0	3,0	20,0	black	4500	4500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

 We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Arrow clips

Application: fasteners  
 Additional Info: simple finger pressure mounting,  
 reuseable  
 Material: polyamide 6.6  
 Standard-Colour: uncoloured

**SPK**


Order No.	Mounting hole Ø	Clamping range	Shaft length		Head height		Head Ø	Shaft width	Colour	PU*	MOQ**
			A	B	C	D					
H03010004000	4,6-4,9	1,6-3,2	10,7	1,5	9,4	5,7	nature	1000	-		
H03020004000	3,3-3,4	1,6-3,2	9,9	1,5	7,1	4,1	nature	20000	-		
H03040004000	3,8-4,1	1,6-3,7	10,2	1,5	7,1	4,6	nature	2000	-		
H03050004000	5,4-5,6	3,2-4,7	13,7	1,5	9,4	6,3	nature	10000	-		
H03070004000	5,4-5,6	1,6-3,2	11,4	1,5	9,4	5,7	nature	25000	-		
H03090004000	6,4-6,6	3,2-4,7	14,6	1,5	12,3	7,4	nature	1000	-		
H03110004000	4,6-4,9	4,2-4,7	13,2	1,5	9,4	5,2	nature	1000	-		
H03130004000	3,3-3,4	3,2-3,6	8,1	1,5	7,1	4,1	nature	1000	-		
H03140004000	3,7	7,4-7,6	13,5	1,5	7,1	5,0	nature	1000	-		
H03160004000	6,4-6,6	9,1-9,7	20,6	1,7	15,5	6,2	nature	500	-		
H03170004000	8,4-8,5	1,6-8,6	22,9	1,8	17,3	9,5	nature	3000	-		

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.



**!** We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.  
 We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



## Table bearing mountings

Application: bearing blocks  
Material: PP  
Standard-Colour: black, grey brown similar to RAL 8019

TLB 1



Order No.	Height H	Height H1	Hole Ø	Width B	Spacing A1 / A2	Length L	Colour	PU*	MOQ**
098070250001000	74	27	30	50	64 / 32	80	black	250	-
098070251076000	74	27	30	50	64 / 32	80	brown	250	-
098070260001000	74	47	30	50	64 / 32	80	black	250	-
098070261076000	74	47	30	50	64 / 32	80	brown	250	250
098070290001000	56	27	30	50	64 / 32	80	black	250	-
098070291076000	56	27	30	50	64 / 32	80	brown	250	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Half-shell table bearing mountings

TLB 2

Application: bearing blocks  
Material: PA  
Standard-Colour: black, grey brown similar to RAL 8019



Order No.	Height	Spacing	∅	Length	Width	Colour	PU*	MOQ**
	H	A1 / A2	D	L	B			
098070180001000	27	64 / 32	30	80	50	black	500	500
098070181076000	27	64 / 32	30	80	50	brown	500	-
098070200001000	47	64 / 32	30	80	50	black	250	-
098070201076000	47	64 / 32	30	80	50	brown	250	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Stacking pads for table bearing mountings

TLB 3

Application: bearing blocks  
Material: PE  
Standard-Colour: uncoloured, black



Order No.	Length <b>L</b>	Width <b>B</b>	Height <b>H</b>	Colour	PU*	MOQ**
098070210004001	42	22	7	nature	1000	-
098070210001000	42	22	7	black	250	3000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Adapters for table bearing mountings

Application: bearing blocks  
Material: PE  
Standard-Colour: black, grey brown similar to RAL 8019

TLB 4



Order No.	Length L	Width B	Height H	Colour	PU*	MOQ**
098070230001001	48	28	10	black	250	-
098070231076001	48	28	10	brown	250	2000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Retaining clips for table bearing mountings

TLB 5

Application: bearing blocks  
Material: PA  
Standard-Colour: black, grey brown similar to RAL 8019



Order No.	For tube Ø	Length	Width	Height	Hole spacing	Colour	PU*	MOQ**
	<b>D</b>	<b>L</b>	<b>W</b>	<b>H</b>	<b>A</b>			
098070270001001	30	72	14	27	60	black	250	-
098070271076000	30	72	14	27	60	brown	1000	1000
098070280001000	30	72	14	54	60	black	250	-
098070281076000	30	72	14	54	60	brown	250	500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Row connectors

Application: row connectors  
Material: PP  
Standard-Colour: black

RV



Order No.	For tube outside Ø	Spacing	Height	Colour	PU*	MOQ**
		A	H			
098018600001000	18	60	30	black	200	400
098018800001000	18	80	30	black	200	400
098018100001000	18	100	30	black	100	300
098018120001000	18	120	30	black	100	300
098018140001000	18	140	30	black	100	300
098018160001000	18	160	30	black	100	300
098020600001000	20	60	30	black	200	-
098020800001000	20	80	30	black	200	-
098020100001000	20	100	30	black	200	400
098020120001000	20	120	30	black	200	400
098020140001000	20	140	30	black	200	400
098020160001000	20	160	30	black	200	400
098022600001000	22	60	30	black	200	400
098022800001000	22	80	30	black	200	400
098022100001000	22	100	30	black	200	400
098022120001000	22	120	30	black	200	400
098022140001000	22	140	30	black	200	400
098022160001000	22	160	30	black	200	400
098025600001000	25	60	30	black	200	400
098025800001000	25	80	30	black	200	400
098025100001000	25	100	30	black	200	400
098025120001000	25	120	30	black	200	400
098025140001000	25	140	30	black	200	-
098025160001000	25	160	30	black	200	400

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

## Marking clip

Application: row connectors  
Material: PP  
Standard-Colour: translucent

RV 1



Order No.	Width	Height	Depth	Labeling text field	Colour	PU*	MOQ**
098012000009000	47	42	10	38,1 x 25,4	translucent	500	500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

\*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

\*\* MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.