

For square, rectangular, triangular, oval, and round tubes. Height adjustment for wooden furniture.





#### Non-slip plugs YG2

Application:

Material: polyethylene Standard-Colour: uncolored




Order No.	Head Ø	Head height	For drilled hole Ø	Colour	PU*	MOQ**
094071050004001	7,5	1,0	5,0	nature	2500	-

#### Adjustable feet with plastic thread

for round tubes Application: Material: polyamide Standard-Colour: black

#### **JLR**






Order No.	Tube outside Ø	Height	Ribs Ø	Length	Adjusting screw	sw	Colour	PU*	MOQ**
	D	Н	d1 / d	L	Mxlxh				
070000200001000	20x1-1,5	5,0	19,0 / 16,0	33,0	12x27x5,0	19	black	2000	<del>-</del>
070000220001000	22x1,5-2	5,0	20,5 / 17,5	33,0	12x27x5,0	19	black	4000	4000
070000250001000	25x1-2	5,0	23,5 / 19,5	33,0	12x27x5,0	19	black	1500	-
070000280001000	28x1-2	5,0	26,5 / 22,5	33,0	16x31x5,0	27	black	1250	-
070000300001000	30x1,5-2	5,0	29,0 / 25,5	26,0	22x29x5,0	27	black	1250	-
070000320001000	32x1-2	5,0	29,5 / 27,0	33,0	22x29x5,0	27	black	1000	-
070000350001000	35x1-2	5,0	33,5 / 29,0	33,0	22x29x5,0	27	black	900	-
070000380001000	38x1,5-2	5,0	34,5 / 33,0	33,0	22x29x5,0	27	black	750	-
070000400001000	40x1-2	5,0	38,5 / 36,0	33,0	22x29x5,0	27	black	600	-
070000420001000	42x1,5-2	5,0	40,5 / 37,0	33,0	22x29x5,0	27	black	600	-
070000450001000	45x1,5-2	5,0	41,5 / 40,5	33,0	22x29x5,0	27	black	500	-
070000500001000	50x1,5-2	5,0	47,5 / 43,5	33,0	22x29x5,0	27	black	400	-

#### Height adjustment with movable base

Application: for round tubes Material: polyamide GF

Standard-Colour: black **JXB** 






Order No.	Tube outside Ø	Rib Ø	Screwed in height	Adjusting angle	Base outside Ø	Total length L	Adjustment range	Colour	PU*	MOQ**
	D	d1	Н		D1	L				
070011400001000	40x1,5	37,3	34,0	0-40°	68,0	270,0	170	black	80	-
070041400001000	40x1,5	37,3	34,0	0-40°	68,0	185,0	100	black	80	240
070012400001000	40x2	36,5	34,0	0-40°	68,0	270,0	170	black	80	80
070042400001000	40x2	36,5	34,0	0-40°	68,0	185,0	100	black	100	400
070041420001000	42x1,5	39,3	34,0	0-40°	68,0	185,0	100	black	100	400
070012420001000	42x2	38,3	34,0	0-40°	68,0	270,0	170	black	80	240
070042420001000	42x2	38,3	34,0	0-40°	68,0	185,0	100	black	100	400

#### Height adjustment with fixed large base

**JXF 1** 

Application: for round tubes Material: polyamide GF Standard-Colour: black





Order No.	Tube outside Ø	Rib Ø	Screwed in spindle	Base outside Ø	Total length	Max. adjustment range	Colour	PU*	MOQ**
	D	d1	Н	D1	L				
070001400001000	40 x 1,5	37,3	20,5	68,0	283,5	170	black	50	450
070031400001000	40 x 1,5	37,3	20,5	68,0	198,5	100	black	100	=
070002400001000	40 x 2	36,5	20,5	68,0	283,5	170	black	50	450
070032400001000	40 x 2	36,5	20,5	68,0	198,5	100	black	100	300
070001420001000	42 x 1,5	39,3	20,5	68,0	283,5	170	black	50	250
070031420001000	42 x 1,5	39,3	20,5	68,0	198,5	100	black	100	300
070032420001000	42 x 2	38,3	20,5	68,0	198,5	100	black	100	400

#### Height adjustment with fixed small base

Application: for round tubes Material: polyamide GF







Order No.	Tube outside Ø	Rib Ø	Screwed in spindle	Base outside Ø	Total length	Max. adjustment range	Colour	PU*	MOQ**
	D	d1	н	D1	L				
070071400001000	40 x 1,5	37,3	20,5	40,0	283,5	170	black	100	-
070371400001000	40 x 1,5	37,3	20,5	40,0	198,5	100	black	100	500
070072400001000	40 x 2	36,5	20,5	40,0	283,5	170	black	100	-
070372400001000	40 x 2	36,5	20,5	40,0	198,5	100	black	100	-
070071420001000	42 x 1,5	39,3	20,5	40,0	283,5	170	black	50	250
070371420001000	42 x 1,5	39,3	20,5	40,0	198,5	100	black	50	250
070072420001000	42 x 2	38,3	20,5	40,0	283,5	170	black	50	400
070372420001000	42 x 2	38,3	20,5	40,0	198,5	100	black	50	400

Application: for round tubes

Material: acrylonitrile butadiene styrene








Order No.	Tube outside Ø	Rib Ø	Flange height	Base outside Ø	Adjustment range	Colour	PU*	MOQ**
	D	d1	Н	D1				
070011600001000	60x1,5	57,3	6,0	70,0	0-200	black	50	-
070012600001000	60x2,0	56,3	6,0	70,0	0-200	black	50	-
070001600001000	60x1,5	57,3	6,0	SW 60	0-200	black	50	250
70002600001000	60x2,0	56,3	6,0	SW 60	0-200	black	50	-

Application: for round tubes

Material: acrylonitrile butadiene styrene








Order No.	Tube outside Ø	Rib Ø	Screwed in spindle	Base outside Ø	_	Adjustment range	Colour	PU*	MOQ**
	D	d1	Н	D1	L				
070019510001000	50 x 1,5	47,3	20,5	50,0	213	120	black	75	-
070019660001000	60 x 1,5	57,3	20,5	60	213	120	black	50	100
070018660001000	60 x 2	56,3	20,5	60	213	120	black	50	350
070019530001000	50 x 1,5	47,3	20,5	60	313	200	black	60	240
070018610001000	60 x 2	56,3	20,5	66	213	120	black	50	350
070019610001000	60 x 1,5	57,3	20,5	66	213	120	black	50	100
070018530001000	50 x 2	46,3	20,5	60	313	200	black	60	180
070018510001000	50 x 2	46,3	20,5	50,0	213	120	black	75	300
070019500001000	50 x 1,5	47,3	20,5	60,0	213	120	black	80	-
070018500001000	50 x 2	46,3	20,5	60,0	213	120	black	50	-
070018550001000	55 x 2	51,2	20,5	65,0	213	120	black	50	-
070019600001000	60 x 1,5	57,3	20,5	70,0	213	120	black	50	-
770018600001000	60 x 2	56,3	20,5	70,0	213	120	black	50	-

#### Adjustable feet with plastic trapezoid thread

Application: for square and rectangular tubes

Material: polyamide Standard-Colour: black








Order No.	Tube dimension	Height	Ribbed section	Length	Adjusting screw	SW	Radius	Colour	PU*	MOQ**
	D x B	Н	d x b	L	Mxlxh		R			
072030300001000	30x30x1-2	6,0	28,7x28,7	23,0	20x4x20x5,0	27	-	black	500	-
072130300001000	30x30x1-2	6,0	28,7x28,7	23,0	20x4x20x5,0	27	R6	black	500	2000



#### Adjustable feet with plastic thread

Application: for square and rectangular tubes Material: polyethylene, polyamide

Standard-Colour: black **JL 2** 








Order No.	Tube dimension	Tube wall thickness	Height	Ribbed section	Length	Adjusting screw	sw	Radius	Material	Colour	PU*	MOQ**
	DxB		Н	d x b	L	Mxlxh		R				
070020200001000	20x20	1,5-2	5,0	17,4x17,4	17,0	10x24x4,0	20	-	PA	black	1750	-
070025250001000	25x25	1-2	5,5	23,3x23,3	25,0	16x26x6,0	27	-	PE	black	1000	-
070125250001000	25x25	1-2	5,5	23,3x23,3	25,0	16x26x6,0	27	R6	PE	black	1000	2000
070030300001000	30x30	1-2	5,5	28,6x28,6	23,0	20x25x6,0	27	-	PE	black	1000	-
070130300001000	30x30	1-2	5,5	28,6x28,6	23,0	20x25x6,0	27	R6	PE	black	1000	-
070035350001000	35x35	1,5	5,0	32,5x32,5	29,2	22x20x5,0	28	-	PA	black	550	-
070040400001000	40x40	1,5 - 2	5,0	37,0x37,0	29,0	22x20x5,0	28	-	PA	black	425	-
070030200001000	30x20	1-2	5,0	28,5x18,0	32,0	12x27x5,0	20	-	PA	black	1250	-
070040200001000	40x20	1,5	5,0	39,5x17,5	32,0	12x27x5,0	20	-	PA	black	1000	-
070040300001000	40x30	1-2	5,0	38,5x28,5	32,0	22x30x5,0	28	-	PA	black	700	-
070340300001000	40x30	3	5,0	35,0x25,0	32,0	22x30x5,0	28	-	PA	black	250	-
070050200001000	50x20	1-2	5,0	48,5x18,5	32,0	12x30x5,0	20	-	PA	black	750	-
070060300001000	60x30	1-2	5,0	58,5x28,5	32,0	22x47x5,0	27	-	PA	black	500	-

**JL 3** 

#### Adjustable feet with plastic trapezoid thread

Application: for square and rectangular tubes

Material: polyethylene Standard-Colour: black






Order No.	Tube dimension	Height	Ribbed section	Length	Adjusting screw	SW	Radius	Colour	PU*	MOQ**
	D x B	Н	d x b	L	Trxlxh		R			
071030300001000	30x30x1-2	6,0	28,7x28,7	22,0	20x4x20x5,0	27	-	black	500	-
071130300001000	30x30x1-2	6,0	28,7x28,7	22,0	20x4x20x5,0	27	R6	black	500	2000
071050300001000	50x30x1,5	9,5	48,5x28,3	20,0	20x4x20x5,0	27	-	black	500	2000

### Adjustable feet with plastic thread and internal safety ring

Application: for square tubes Material: polyethylene Standard-Colour: black









Order No.	Tube dimension	Height	Ribbed section	Length	Adjusting screw	SW	Radius	Colour	PU*	MOQ**
	D x B	Н	d x b	L	Mxlxh		R			
073030300001000	30x30x1-2	5,5	28,6x28,6	23,0	20x41x6,0	27	-	black	500	2000
073130300001000	30x30x1-2	5,5	28,6x28,6	23,0	20x41x6,0	27	R6	black	500	2000




## Adjustable feet with plastic thread and internal safety ring

Application: for square and rectangular tubes

Material: polyethylene Standard-Colour: black









Order No.	Tube dimension	Height	Ribbed section	Length	Adjusting screw	SW	Radius	Colour	PU*	MOQ**
	D x B	Н	d x b	L	Trxlxh		R			
074030300001000	30x30x1-2	6,0	28,6x28,6	22,0	20x4x42x5,0	27	-	black	500	2000
074130300001000	30x30x1-2	6,0	28,6x28,6	22,0	20x4x42x5,0	27	R6	black	500	2000
074050300001000	50x30x1,5	9,5	48,5x28,3	20,0	20x4x42x5,0	27	-	black	500	2000

Application: for square tubes Material: polyamide GF Standard-Colour: black








Order No.	Tube dimension	Rib Ø	Screwed in spindle	Base outside Ø	Total length	Adjustment range	Colour	PU*	MOQ**
	D	d1	Н	D1	L				
070084400001000	40x40x1,5	37,5x37,5	20,5	68	283,5	170	black	50	200
070094400001000	40x40x1,5	37,5x37,5	20,5	68	198,5	100	black	100	200
070084010001000	40x40x1,5	37,5x37,5	20,5	40	283,5	170	black	100	-
070094020001000	40x40x1,5	37,5x37,5	20,5	40	198,5	100	black	100	200
070024400001000	40 x 40 x 2	36,5 x 36,5	20,5	68	283,5	170	black	50	200
070034400001000	40 x 40 x 2	36,5 x 36,5	20,5	68	198,5	100	black	50	200
070044010001000	40 x 40 x 2	36,5 x 36,5	20,5	40	283,5	170	black	100	-
070044020001000	40 x 40 x 2	36,5 x 36,5	20,5	40	198,5	100	black	100	-

Application: for square tubes

Material: acrylonitrile butadiene styrene







Order No.	Tube dimension	Rib dimension Ø	Screwed in spindle	Base outside Ø	Base outside	Total length	Adjustment range	Colour	PU*	MOQ**
	D	<b>d1</b>	H	D1	D1 x D1	L				
070035510001000	50x50x1,5	47,5x47,5	20,5	50,0	-	213	120	black	80	-
070026670001000	60x60x2	56,5x56,5	20,5	66	-	213	120	black	50	100
070026660001000	60x60x2	56,5x56,5	20,5	60	<del>-</del>	213	120	black	50	-
070025520001000	50x50x2	46,5x46,5	20,5	60	-	313	200	black	60	-
070025510001000	50x50x2	46,5x46,5	20,5	50,0	-	213	120	black	75	-
070035500001000	50x50x1,5	47,5x47,5	20,5	60,0	-	213	120	black	50	-
070025500001000	50x50x2	46,5x46,5	20,5	60,0	-	213	120	black	50	-
070045500001000	50x50x2	46,5x46,5	20,5	-	50x50	213	120	black	100	-
070055500001000	50x50x1,5	47,5x47,5	20,5	-	50x50	213	120	black	100	-
070026600001000	60x60x2	56,5x56x5	20,5	70,0	-	213	120	black	50	-

Application: for square tubes

Material: ABS Standard-Colour: black



